



ApnaGhar BuildMart

One-Stop-Shop for Building Materials



Roofing & Instant Walling Solutions

Bitumen Roofing Solutions

Cellulose-Bitumen based roofing sheets having aesthetic traditional looks are lightweight & durable roofing solutions offering excellent water-proofing with a 15–30 year warranty. Ideal for resorts, rooftop restaurants, gazebo farmhouses, residential houses & agricultural buildings.



ONDULINE Roofing Sheets & Tiles



Roofing Sheets



Tile Profile Sheets

BARDOLINE Roofing Shingles



Opera Shingles



Hexagonal Shingles

Key Features

- Aesthetic Traditional Clay Tile Look
- 100% Waterproof Protection
- Noise Reduction
- Rust-Free & Corrosion Resistant
- Heat & Thermal Comfort
- High Wind Resistance
- Made from Bitumen & Fibers
- Lightweight & Long Life

Specifications

Thickness: 3 mm

Weight: Approx. 3 kg/m²

ONDULINE Sheets

Size: 2000 X 1000 mm

ONDULINE Tiles

Size: 1000 X 400 mm


BARDOLINE Shingles

Size: 1000 X 330 mm

Enhancing Roofs with a Stylish, Aesthetic Traditional Finish.

PUF Roofing Solutions

PUF Roofing Sheets are advanced insulated panels designed for superior thermal performance and structural strength. They provide energy-efficient roofing solutions for residential, industrial and commercial applications.



Applications of PUF Panels



Warehouses



Hotels & Resorts



Indoor Stadiums



Individual Houses



**Roof-top
Constructions**



Cold Rooms

Key Features

- Thermal Insulation
- Energy Efficient
- High Strength & Load Bearing
- Lightweight Structure
- Quick Installation
- Noise Reduction
- Long Life & Low Maintenance

Specifications

Thickness: 30-100 mm
Length: As Required
Width: 1000 mm
Core: Polyurethane Foam
Sheets Used: PPGI / GI
Density: $\sim 40 \text{ kg/m}^3$

Ideal for Insulated, High-Strength Roofing Solutions.

Other Roofing Solutions

Offering a diverse range of roofing solutions, combining performance, durability, and versatility to meet the evolving needs of modern construction. Ideal for light weight construction & long life.




Fibre Cement Sheets



Thickness	: 6 mm
Length	: 2, 2.5, 3, 3.6 mtr
Width	: 1000 mm
Weight	: 9-12 kg/m²

PPGI/Coloured Iron Sheets



Thickness	: 0.40, 0.45, 0.50 mm
Length	: As Required
Width	: 1 to 1.2 mtr
Weight	: 3-4 kg/m²

Polycarbonate Sheets




Smart Roofing Options for Every Structure.

Instant Walling Solutions

Readymade walling systems offer a modern alternative to traditional brick construction, ensuring faster installation, lightweight structures, and long-lasting durability across various applications.




Sandwich Cement Wall Panel



Thickness	: 50, 75, 100 mm
Length	: 2400, 2700, 3000 mm
Width	: 600 mm
Weight	: 40-100 kg/m²

Sandwich PUF Wall Panel



Thickness	: 30 to 100 mm
Length	: As Required
Width	: 1000 mm
Weight	: 9-12 kg/m²

ALC Wall Panel With Reinforcement



Thickness	: 75, 100, 125, 150, 200 mm
Length	: 2400 to 6000 mm
Width	: 600 mm
Weight	: 60-130 kg/m²

A Smarter & Faster Alternative to Traditional Wall Construction.


Product Categories

- **Tmt Bars, Couplers, Butt Joints**
- **Cements, Wall Putty, Plaster Etc.**
- **Dry Cement Products**
- **Roofing Solutions**
- **AAC Blocks**
- **Insulated Puf Panels**
- **Cold Room Solutions**
- **Steel Structural**
- **Plumbing Solutions**
- **Fibers & Mesh Rolls**
- **Mineral Paints & Textures**
- **Water Proofing Chemicals**
- **Construction Chemicals**



ApnaGhar BizCorp Private Limited

 E-78(A), Road No.B, M.I.A., Madri, Near Toyota Showroom, Udaipur-313003 (Raj.)

 +91 97733-77954, 94141-65987  sales.bm@agbc.in